

TABLE OF CONTENTS

AASHTO SECTION

CHAPTER 1: GENERAL PROVISIONS

<	Constants and Conversion Factors	195
C	<i>Classification of Soils</i>	<i>M-145</i>

CHAPTER 2: MATERIALS

Soils and Aggregate Tests

<	Rapid Moisture Content Determination of Aggregates and Non-Plastic Soils	919
<	Determination of Rounded Particles on Coarse Aggregate	929
<	Determination of Thin or Elongated Particles in Coarse Aggregate	930
<	Elutriation Vessel Method For Determining Amount of Material Finer Than No. 200 Sieve in Soils and Aggregate	935
C	<i>Material Finer than No. 200 Sieve In Mineral Aggregates by Washing</i>	<i>T-11</i>
C	<i>Unit Weight and Voids in Aggregate</i>	<i>T-19</i>
C	<i>Organic Impurities in Fine Aggregates for Concrete</i>	<i>T-21</i>
C	<i>Obtaining and Testing Drilled Cores and Sawed Beams of Concrete</i>	<i>T-24</i>
C	<i>Sieve Analysis of Fine and Coarse Aggregates</i>	<i>T-27</i>
C	<i>Specific Gravity and Absorption of Fine Aggregates</i>	<i>T-84</i>
C	<i>Specific Gravity and Absorption of Coarse Aggregates</i>	<i>T-85</i>
C	<i>Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test</i>	<i>T-87</i>
C	<i>Determining the Liquid Limit of Soils</i>	<i>T-89</i>
C	<i>Particle Size Analysis of Soils</i>	<i>T-88</i>
C	<i>Determining the Plastic Index and Plasticity Index of Soils</i>	<i>T-90</i>
C	<i>Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine</i>	<i>T-96</i>
C	<i>Moisture-Density Relations of Soils Using a 5.5 lb Rammer And a 12 in. Drop</i>	<i>T-99 D</i>
C	<i>Specific Gravity of Soils</i>	<i>T-100</i>

TABLE OF CONTENTS

	AASHTO	SECTION
<i>C Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate</i>	<i>T-104</i>	
<i>C Clay Lumps and Friable Particle In Aggregate</i>	<i>T-112</i>	
<i>C Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test</i>	<i>T-176</i>	
<i>C Moisture-Density Relations of Soils Using a 10-lb Rammer And an 18-in. Drop</i>	<i>T-180D</i>	
<i>C Density of Soil In-Place by the Sand-Cone Method</i>	<i>T-191</i>	
<i>C California Bearing Ratio</i>	<i>T-193</i>	
<i>C Aggregate Coating</i>	<i>T-195</i>	
<i>C Unconfined Compressive Strength of Cohesive Soil</i>	<i>T-208</i>	
<i>C Permeability of Granular Soils (Constant Heat)</i>	<i>T-215</i>	
<i>C One-Dimensional Consolidation Properties of Soils</i>	<i>T-216</i>	
<i>C Strength Parameters of Soils by Triaxial Compression</i>	<i>T-234</i>	
<i>C Direct Shear Test of Soils under Consolidated Drain Conditions</i>	<i>T-236</i>	
<i>C Frictional Properties of Paved Surfaces Using a Full-Scall Tire</i>	<i>T-242</i>	
<i>C Total Moisture Content of Aggregate by Drying</i>	<i>T-255</i>	
<i>C Laboratory Determination of Moisture Content of Soils</i>	<i>T-265</i>	
<i>C Surface Frictional Properties Using the British Pendulum Tester</i>	<i>T-278</i>	
<i>C Accelerated Polishing of Aggregate Using the British Wheel</i>	<i>T-279C</i>	
<i>C Reducing Field Samples of Aggregate to Testing Size</i>	<i>T-283</i>	
<i>C Determining Minimum Laboratory Soil Resistivity</i>	<i>T-288</i>	
<i>C Determining Ph of Soil for Use in Corrosion Testing</i>	<i>T-289</i>	
<i>C Determining Water Soluble Sulfate Ion Content in Soil</i>	<i>T-290</i>	
<i>C Determining Water Soluble Chloride Ion Content in Soil</i>	<i>T-291</i>	
<i>C In-Place Density and Moisture Content of Soil and Soil-Aggregate by</i>		

TABLE OF CONTENTS

	<i>AASHTO</i>	SECTION
<i>Nuclear Methods (Shallow Depth)</i>	<i>T-310</i>	
<i>C Flat and Elongated Particles in</i>		
<i>Coarse Aggregate</i>	<i>D-4791 (ASTM)</i>	
<i>C Percentage of Fractured Particles</i>		
<i>in Coarse Aggregate</i>	<i>D-5821 (ASTM)</i>	
<i>C Uncompacted Void Content</i>		
<i>of Fine Aggregate</i>	<i>TP33</i>	

Asphalt Material Aggregate Tests

<	Marshall Method of Mix Design for	
	Large Aggregate	941
<	Dynamic Stripping Test of	
	Asphalt Material Aggregate Mixtures	945
<	Extraction of Bitumen from	
	Paving Mixtures Using a Vacuum Extractor	946
<	Surface Treatment Design	950
<	Open Graded Surface Coarse	954
<	Price Reduction Formulas for Non Specification	
	Liquid Asphalt, Asphalt Cement and	
	Tire-Rubber Modified PG Binders	955
<	Resistance of Compacted Bituminous Mixture	
	to Moisture Induced Damage	957
<	Standard Test Method for Determining Rutting	
	Susceptibility Using	
	the Asphalt Pavement Analyzer	958
<	Guidelines for Superpave Volumetric	
	Mix Design	960
<	Cold Bend Determination of Hot-applied	
	Bituminous Concrete Crack Sealants	967
<	Modified Marshall Mix Design Method For	
	in-place Cold Recycled Asphaltic Base	968
<i>C</i>	<i>Mechanical Analysis of</i>	
	<i>Extracted Aggregate</i>	<i>T-30</i>
<i>C</i>	<i>Moisture of Volatile Distillates in</i>	
	<i>Bituminous Paving Mixtures</i>	<i>T-110</i>
<i>C</i>	<i>Quantitative Extraction of Bitumen from</i>	
	<i>Paving Mixtures</i>	<i>T-164A</i>
<i>C</i>	<i>Bulk Specific Gravity of Compacted</i>	
	<i>Bituminous Mixtures Using</i>	

TABLE OF CONTENTS

	AASHTO	SECTION
	<i>Saturated Surface-Dry Specimens</i>	T-166
C	<i>Sampling Bituminous Paving Mixtures</i>	T-168
C	<i>Recovery of Asphalt from Solution by Abson Method</i>	T-170
C	<i>Maximum Specific Gravity of Bituminous Paving Mixtures</i>	T-209
C	<i>Determining Degree of Pavement Compaction of Bituminous Mixtures</i>	T-230
C	<i>Resistance to Plastic Flow of Bituminous Mixtures using Marshall Apparatus</i>	T-245
C	<i>Percent Air Voids in Compaction Dense and Open Bituminous Paving Mixtures</i>	T-269
C	<i>Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-coated Specimens</i>	T-275
C	<i>Asphaltic Cement Content of Asphalt Concrete Mixtures by the Nuclear Method</i>	T-287
C	<i>Standard Test Method for Density of Bituminous Concrete In Place by Nuclear Methods</i>	D-2950 (ASTM)
C	<i>Standard Practice for Short and Long Term Aging of Hot Mix Asphalt</i>	PP2
C	<i>Volumetric Analysis of Compacted Hot Mix Asphalt</i>	PP19
C	<i>Quantitative Extraction and Recovery of Asphalt Binder from HMA</i>	TP2
C	<i>Density of HMA Specimens by means of the SHRP Gyratory Compactor</i>	T311
C	<i>Volumetric Mix Design</i>	MP -2
C	<i>Designing Superpave HMA</i>	PP -28
C	<i>Asphalt Content of Hot Mix Asphalt by the Ignition Method</i>	D-6307 (ASTM)
C	<i>Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Saturated Surface-Dry Specimens</i>	D-2726 (ASTM)
C	<i>Test Method for Thickness or Height of Compacted Bituminous Paving Mixture Specimens</i>	D-3549 (ASTM)
C	<i>Practice for Random Sampling of Construction Materials</i>	D-3665 (ASTM)
C	<i>Standard Specification for Minimum Requirements for Agencies Testing and Inspecting Bituminous Paving Materials</i>	D3666 (ASTM)

TABLE OF CONTENTS

	AASHTO	SECTION
C	<i>Standard Practice for Quality Control Systems for Organizations Producing and Applying Bituminous Paving Material</i>	<i>D4561 (ASTM)</i>
C	<i>Standard Practice for Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials</i>	<i>D5506 (ASTM)</i>
C	<i>Standard Test Method for Asphalt Content of Hot-Mix Asphalt by Ignition Method</i>	<i>D6307 (ASTM)</i>
C	<i>Standard Practice for Sampling Bituminous Paving Mixtures</i>	<i>D979 (ASTM)</i>
C	<i>Test Method for Measuring Pavement Roughness Using a Profilograph</i>	<i>E-1274 (ASTM)</i>

Asphalt Binder Tests

<	Modified Test Method For Solubility of Tire Rubber Modified Asphalt Binders	970
C	<i>Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR)</i>	<i>TP1</i>
C	<i>Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT)</i>	<i>TP3</i>
	note: Replaced 8-966	
C	<i>Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR)</i>	<i>TP5</i>
C	<i>Viscosity Determinations of Unfilled Asphalt Using the Brookfield Thermosel Apparatus</i>	<i>TP48</i>
C	<i>Accelerated Aging of Asphalt Binder using a Pressurized Aging Vessel (PAV)</i>	<i>PP1</i>
C	<i>Grading or Verifying the Performance Grade of an Asphalt Binder</i>	<i>PP6</i>

Concrete Tests

<	Guidelines for Portland Cement Concrete Mix Design	974
C	<i>Ready-Mixed Concrete</i>	<i>M-157 A1</i>
C	<i>Compressive Strength of Cylindrical Concrete Specimens</i>	<i>T-22</i>
C	<i>Making and Curing Concrete Test Specimens in the Field</i>	<i>T-23</i>
C	<i>Quality of Water to be Used in Concrete</i>	<i>T-26</i>
C	<i>Flexural Strength of Concrete</i>	

TABLE OF CONTENTS

	AASHTO	SECTION
	<i>(Using Simple Beam with Third-Point Loading)</i>	T-97
C	<i>Slump of Hydraulic Cement Concrete</i>	T-119
C	<i>Weight per Cubic Foot, Yield, and Air</i>	
	<i>Content of Concrete</i>	T-121
C	<i>Air Content of Freshly Mixed Concrete</i>	
	<i>By the Pressure Method</i>	T-152
C	<i>Air Content of Freshly Mixed Concrete</i>	
	<i>By the Chace Indicator</i>	T-199

Sampling

<	Random Sampling and Testing	981
<	Referee Testing	982
<	Sampling Methods	984
<	Sample Reduction Methods	985

C	<i>Sampling Freshly Mixed Concrete</i>	T-141
---	--	-------

Pavement Design and Evaluation

<	Method of Test for Hamburg Wheel Track	
	Testing of Compacted Bituminous Mixtures	990
<	Procedure for Operating and Evaluating	
	Results From a Profilograph	995

CHAPTER 3: ECONOMIC ANALYSIS

Life Cycle Analysis

<	Life Cycle Analysis - Overview	1000
<	Engineering Economics	1001
<	Cost Components	1002
<	Procedures	1003
<	Summary	1004

Appendix A

Appendix B

CHAPTER 4: QUALITY ASSURANCE

<	Quality Assurance Program - Introduction	1010
<	Materials Acceptance Program	1011

TABLE OF CONTENTS

	<i>AASHTO</i>	SECTION
< Independent Assurance		1012
< Laboratory Qualification Program		1013
< Technician Training and Qualification Program .		1014
Appendix A		
Appendix B		
Appendix C		
Appendix D		
Appendix E		

TERMS AND DEFINITIONS